




Allen Cooper

ENGINEERED FOR SAFETY

PERSONAL PROTECTIVE EQUIPEMENT

BODY PROTECTION



FALL PROTECTION



HEAD PROTECTION



FOOT PROTECTION



STATE-OF-THE-ART FACILITIES

Our state-of-the-art facility features dedicated manufacturing units for Safety Footwear, Safety Garments, fall Protection, and Safety Helmets. Equipped with advanced machinery and modern production technology, our facilities follow Indian & International standards to ensure consistent quality, precision, and reliable safety performance.



*World Class
Infrastructure*



*State-Of-The-Art
Machinery*



*Highly Skilled
Workforce*



*Focus On
Best Quality*



*Strong after
sales service*




*Nationwide
Presence*





TESTED. PROVEN. TRUSTED.

Our in-house testing laboratory is equipped with advanced testing facilities to verify the quality, durability, safety and performance of our products. Every product undergoes rigorous testing to ensure consistent performance and compliance with applicable standards.



✓ Chemical Analysis

✓ Physical Analysis

✓ Complete Footwear Testing

CERTIFIED FOR **CONFIDENCE**

At **Allen Cooper**, our products are designed to meet global safety standards, ensuring consistent quality, performance, and protection across domestic & international markets. Regardless of the country or market, we maintain stringent standards throughout our manufacturing and testing processes—*delivering safety products you can trust, wherever you are.*



9001:2015



14001: 2015



45001:2018

IS:15298 (Part-4)



CM/L-0004858790

IS:15298 (Part-2)



CM/L-0009715086

IS 3521:1999



CM/L-0004892285

IS:2925



CM/L-9300061513



EN ISO 11612



EN ISO 20471:2013



2233



0158



20345



**Each & every product with the right
certifications**



OUR BRANDS



MARKING CATEGORIES OF SAFETY FOOTWEAR

As per IS:15298 (Part 2) 2024		CLASS 1 Made from leather, textile or synthetic materials									
		SB	S1	S1P	S1PS S1PL	S2	S3	S3S S3L	S6	S7	S7S S7L
	Toe protection	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Slip resistance	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Closed heel		✓	✓	✓	✓	✓	✓	✓	✓	✓
	Antistatic (A)		✓	✓	✓	✓	✓	✓	✓	✓	✓
	Heel Energy Absorption (E)		✓	✓	✓	✓	✓	✓	✓	✓	✓
	Water Penetration and Absorption (WPA)					✓	✓	✓	✓	✓	✓
	Waterproof (WR)									✓	✓
	Metallic Perforation Resistant (P)			✓			✓			✓	
	Non Metallic Perforation Resistant (PL & PS)				✓			✓			✓
	Cleated Outsole (cleat height ≥ 3.5mm)						✓	✓		✓	✓

Additional features

AN Ankle protection	M Metatarsal protection	CI Cold insulation	HI Heat insulation	WR Waterproof	ESD Electrostatic discharge	P Metallic perforation resistant
SR Slip resistant ceramic + oil solution	LG Ladder grip	SC Abrasion resistant scuff cap	HRO Heat-resistant (up to 300c)	FO Fuel oil resistant	A Anti-static	PLPS Non metallic perforation resistant

OUR RANGE

Standard Safety Shoes	07
Heat Resistant Shoes	21
Non Leather Shoes	25
Female Shoes	31
Executives Shoes	35
Quick Lacing System Shoes	37
Special Application Shoes	39
Occupational Shoes	41
Safety Helmet	43
Workwear	44
Fall Protection	45

	Gents		Ladies	
	Foot Length (MM)	India / UK Size	Foot Length (MM)	India / UK Size
	253	5	238	3
	261	6	246	4
	270	7	254	5
	278	8	263	6
	286	9	271	7
	295	10	280	8
	303	11		
	312	12		
	320	13		

How to measure your feet?

Set your foot on a piece of paper, draw an outline of your foot and mark points at the end of your heel and tip of your toe. Measure between heel and toe marked points. Repeat the process for the other foot as well, longer of the two is considered for size selection.

+++++

Salient Features



1.	Upper	100% Genuine Leather/Microfibre 1. Thickness : 2.0 ± 0.2mm 2. Tear Strength : 120N (Leather)/60 N (Non Leather) 3. Flexing Resistant : 1,50,000 cycles
2.	Lining	240 GSM functional textile/non woven 1. Tear Strength : 15N 2. Abrasion: Dry- 25,600 cycles and Wet- 12,800 cycles
3.	Toe Cap (Metal /Non Metal)	Min.14mm Clearance under Toe Caps when 20kg object falling from drop height of 1020mm generating impact energy of 200 ± 4 J
4.	Insole	Min 2.0 mm thick non woven insole tested for no surface tearing till 400 cycles.
5.	In-socks	Min. 3.0 mm Moulded socks laminated with highly durable fabric
6.	Laces & Thread	Nylon/Polyester twisted and resistant to appropriate breaking load.
7.	Outsole	Directly Injected Double Density PU/PU, PU/Rubber & Eva/Rubber OutSole Antiskid, Oil & Fuel Resistance. Our Shoes Made On Direct Vulcanized Rubber Sole Can Withstand A Temp. Upto 300°C
Other Features (Optional)		
8.	ESD (Electrostatic Discharge)	100KΩ - 100 MΩ
9.	Anti-Static	100KΩ - 1000 MΩ
10.	Conductive	<100 KΩ
11.	ESR (Electric Shock Resistant)	18KV for 1min. ASTM-F2413-05
12.	Heat Insulation	<22°C Temperature increase on insole after 30min with 150°C temp. of hot plate.
13.	Cold Insulation	<10°C Temp decrease on the insole after 30min. with temp of (-17±2) °C.
14.	Water Resistance	<3cm³ wetted area inside the footwear after 80min of flexing in water tank.
15.	Ankle Protection	10KN (mean value) shock absorption capacity when 5kg ± 0.5gm object falling from drop height of 20cm generating impact energy of 10J.
16.	Water Penetration	0.2gm (max) & 30% (max) after 60 min.





GENUINE LEATHER UPPER

BREATHABLE TEXTILE LINING

DIP PU DUAL DENSITY SOLE

200 ± 4 J TOE CAP

COMFORT INSOCKS



STANDARD SAFETY SHOE



Part-4
CMIL-0004858790



Part-2
CMIL-0009715086



STANDARD SAFETY SHOES



ACL-1143



ACL-1023



ACL-1930



ACL-1285



8



ACL-11102



ACL-1102



STANDARD SAFETY SHOES



ACL-1267



ACL-1275



ACL-1059



ACL-1040



ACL-1053



ACL-1049





ACL-1715



ACL-1088



ACL-1686



ACL-1068



ACL-1703



ACL-1702



STANDARD SAFETY SHOES



ACL-1057

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1080

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1156

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1685

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1689

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1574

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



STANDARD SAFETY SHOES



ACL-1092



ACL-1104



ACL-9005



ACL-1070



ACL-1129



ACL-1065



STANDARD SAFETY SHOES



ACL-1039

- LEATHER UPPER 
- METAL TOE 
- ANTI-STATIC 



ACL-1089

- LEATHER UPPER 
- METAL TOE 
- ANTI-STATIC 



ACL-1072

- LEATHER UPPER 
- METAL TOE 
- ANTI-STATIC 



ACL-1047

- LEATHER UPPER 
- METAL TOE 
- ANTI-STATIC 



ACL-11691

- LEATHER UPPER 
- NON-METAL TOE 
- ANTI-STATIC 



ACL-11694

- LEATHER UPPER 
- NON-METAL TOE 
- ANTI-STATIC 



STANDARD SAFETY SHOES



ACL-11581



ACL-11582



ACL-11996



ACL-11017



ACL-11107



ACL-11988



STANDARD SAFETY SHOES



ACL-1126

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1127

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1122

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1186

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1052

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-11076

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC



ACL-1284

- LEATHER UPPER 
- METAL TOE 
- ANTI-STATIC 



ACL-1033

- LEATHER UPPER 
- METAL TOE 
- ANTI-STATIC 



ACL-11265

- LEATHER UPPER 
- NON-METAL TOE 
- ESR UPTO 18KV 



ACL-1158

- LEATHER UPPER 
- PVC TOE 
- ESR UPTO 18KV 



ACL-1055

- LEATHER UPPER 
- METAL TOE 
- ESD 



ACL-11297

- LEATHER UPPER 
- NON-METAL TOE 
- ESD 

STANDARD SAFETY SHOES



ACL-1144



ACL-1436



ACL-1008



ACL-1009



ACL-1157



ACL-9006





ACL-1090

- LEATHER UPPER 
- METAL TOE 
- ANTI-STATIC 



ACL-1069

- LEATHER UPPER 
- METAL TOE 
- ANTI-STATIC 



ACL-1106

- LEATHER UPPER 
- METAL TOE 
- ANTI-STATIC 



ACL-1079

- LEATHER UPPER 
- METAL TOE 
- ANTI-STATIC 



ACL-11692

- LEATHER UPPER 
- NON-METAL TOE 
- ANTI-STATIC 



ACL-11051

- LEATHER UPPER 
- NON-METAL TOE 
- ANTI-STATIC 

STANDARD SAFETY SHOES



ACL-11266

- LEATHER UPPER
- NON-METAL TOE
- ESR UPTO 18KV



ACL-1438

- LEATHER UPPER
- PVC TOE
- ESR UPTO 18KV



ACL-11114

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC



ACL-11992

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC



ACL-11130

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1128

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-11416

- LEATHER UPPER 
- NON-METAL TOE 
- ESD 



ACL-1056

- LEATHER UPPER 
- METAL TOE 
- ESD 



ACL-1123

- LEATHER UPPER 
- METAL TOE 
- ANTI-STATIC 



ACL-11134

- LEATHER UPPER 
- NON-METAL TOE 
- ANTI-STATIC 





GENUINE LEATHER UPPER

BREATHABLE TEXTILE LINING

200 ± 4 J TOE CAP

DIP PU/R OR DVP NR OUTSOLE

COMFORT INSOCKS



HEAT RESISTANT



HEAT RESISTANT



HEAT RESISTANT



ACL-2072

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-33848

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-22058

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-33066

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-33427

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-33431

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC
- HEAT RESISTANT

HEAT RESISTANT



ACL-3425

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-3450

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-2068

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-22072

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-33067

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-33584

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC
- HEAT RESISTANT

HEAT RESISTANT



ACL-33699

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-3075

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-33432

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-3426

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-33717

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC
- HEAT RESISTANT



ACL-3446

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC
- HEAT RESISTANT

NON LEATHER

- HIGHLY DURABLE TEXTILE/MICROFIBRE UPPER
- BREATHABLE TEXTILE LINING
- 200 $\pm$ 4 J TOECAP
- PU/EVA/RUBBER OUTSOLE
- COMFORT INSOCKS



CLEAN ROOM SHOES



ACM-1442



ACM-1443



ACM-1142



ACM-1444



ACM-1003



NON-LEATHER



ACF-1872

- KNITTED UPPER
- METAL TOE
- ANTI-STATIC



ACF-1733

- KNITTED UPPER
- METAL TOE
- ANTI-STATIC



ACM-1131

- MICROFIBER UPPER
- METAL TOE
- ANTI-STATIC



ACM-1113

- MICROFIBER UPPER
- METAL TOE
- ANTI-STATIC



ACF-11721

- KNITTED UPPER
- NON-METAL TOE
- ANTI-STATIC



ACF-11133

- KNITTED UPPER
- NON-METAL TOE
- ANTI-STATIC

NON-LEATHER



ACF-11719

- KNITTED UPPER
- NON-METAL TOE
- ANTI-STATIC



ACF-1813

- KNITTED UPPER
- METAL TOE
- ANTI-STATIC



ACM-1699

- MICROFIBER UPPER
- METAL TOE
- ANTI-STATIC



ACF-11014

- KNITTED UPPER
- NON-METAL TOE
- ANTI-STATIC



ACF-1043

- KPUINJECTED UPPER
- METAL TOE
- ANTI-STATIC



ACF-11020

- KNITTED UPPER
- METAL TOE
- ANTI-STATIC

NON-LEATHER



ACF-11711

- KNITTED UPPER
- NON-METAL TOE
- ANTI-STATIC



ACF-11868

- KNITTED UPPER
- NON-METAL TOE
- ANTI-STATIC



ACF-66079

- KNITTED UPPER
- NON-METAL TOE
- PHYLON RUBBER SOLE
- ANTI-STATIC



ACF-66081

- KNITTED UPPER
- NON-METAL TOE
- PHYLON RUBBER SOLE
- ANTI-STATIC



ACF-66115

- MICROFIBER UPPER
- NON-METAL TOE
- PHYLON RUBBER SOLE
- ANTI-STATIC



ACF-66113

- MICROFIBER UPPER
- NON-METAL TOE
- PHYLON RUBBER SOLE
- ANTI-STATIC

NON-LEATHER



ACM-11105



ACM-1078



ACM-1132





Genuine Leather Upper

Breathable Textile Lining

200 $\pm$ 4 J Toe cap

DIP PU Dual Density Sole

Comfort Insocks

ACL-1062 (UNISEX) 



FEMALE SHOES

FEMALE SHOES



ACF-1086

- KNITTED UPPER
- METAL TOE
- ANTI-STATIC
- UNISEX



ACF-1087

- KNITTED UPPER
- METAL TOE
- ANTI-STATIC
- UNISEX



ACL-1036

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1034

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC



ACL-1061

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC
- UNISEX



ACL-1035

- LEATHER UPPER
- METAL TOE
- ANTI-STATIC

FEMALE SHOE



ACL-1298



ACL-1299



ACL-1197



ACL-1604



ACL-1594



ACL-1708



Build for Your Work,
Design for Your Comfort

ACL-1125



*Strong Step
for Brighter Tomorrow*



- GENUINE LEATHER UPPER
- BREATHABLE TEXTILE LINING
- 200 ± 4 J TOE CAP
- DIP PU DUAL DENSITY SOLE
- COMFORT INSOCKS

ACL-1453



EXECUTIVE SHOES

EXECUTIVE SHOES



ACL-1250



ACL-1146



ACL-1124



ACL-1469





QUICK **LACING** SYSTEM



EASY FIT



QUICK RELEASE

QUICK LACING SYSTEM



ACM-11120

- MICROFIBER UPPER
- NON-METAL TOE
- ANTI-STATIC



ACM-66111

- MICROFIBER UPPER
- NON-METAL TOE
- ANTI-STATIC



ACM-11119

- MICROFIBER UPPER
- NON-METAL TOE
- ANTI-STATIC



ACM-11121

- MICROFIBER UPPER
- NON-METAL TOE
- ANTI-STATIC



ACL-11118

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC



ACL-11122

- LEATHER UPPER
- NON-METAL TOE
- ANTI-STATIC

SPECIAL APPLICATION


- GENUINE LEATHER UPPER
- BREATHABLE TEXTILE LINING
- 200J $\pm$ 4 J TOE CAP
- DIP PU/R or DVP NR OUTSOLE
- COMFORT INSOCKS



Conductive Shoes
ACL-2067



Metatarsal Shoes
ACL-2086



Welder
ACL-3575



Welder
ACL-2080





SPECIAL APPLICATION

Structural Fire Protective Boot **ACL-22107**



Oil Rigg Boot **ACL-33037**



Rigger Boot **ACL-2081**



Wildland Fire Protective Boot **ACL-22106**



Oil Rigg Boot **ACL-33893**



Rigger Boot **ACL-33472**



LEATHER / FABRIC UPPER

BREATHABLE TEXTILE LINING

PU & RUBBER OUTSOLE

COMFORT INSOCKS

ACL-6078



OCCUPATIONAL FOOTWEAR



OCCUPATIONAL FOOTWEAR



ACL-6053

LEATHER UPPER 
ANTI-STATIC 
IS:15298 (PART-4)2024 



ACL-1135

LEATHER UPPER 
ANTI-STATIC 
IS:15298 (PART-4)2024 



ACL-1095

LEATHER UPPER 
ANTI-STATIC 
IS:15298 (PART-4)2024 



ACL-1795

FABRIC UPPER 
ANTI-STATIC 
IS:15298 (PART-4)2024 



ACL-1592

LEATHER UPPER 
ANTI-STATIC 
IS:15298 (PART-4)2024 



ACL-7291

LEATHER UPPER 
ANTI-STATIC 
IS:15298 (PART-4)2024 



SAFETY HELMET

IS 2925

CM/L-9300061513

CE EN 397:2012



DOWNLOAD
CATALOGUE

Shell With Ventilation

- Plastic Cradle, Adjustable Handband
- Standard Shin Strap, Sweat Band

Shell With Out Ventilation

- Plastic Cradle, Adjustable Handband
- Standard Shin Strap, Sweat Band

ADJUSTMENT SYSTEMS



Nape Type



Ratchet Type

AVAILABLE COLORS



Protection with
flying/ falling
objects



Protection at the
time of fall
(accidents)



Protection against
electric shocks
(less than 7050V)



WORKWEAR

INDUSTRIAL WORKWEAR



DOWNLOAD
CATALOGUE



Work Bib Trousers
Style: 2175



FR Coverall With Reflective Tape
Style: 7203



Work Bib Trousers
Style: 2553



Work Coverall
Style: 2219



D3 Coverall
Style: 3791



Winter Jacket
Style: 2528



Work Jacket
Style: 2050



Work Trousers
Style: 2051



Apron
Style: 2520



Work Coverall
Style: 2390



Work Coverall
Style: 6206



IS 3521:1999



CM/L-0004892285



FALL PROTECTION



DOWNLOAD
CATALOGUE



SUPERIO-3



SH-FBH-56



SH-FBH-11



SH-FTRL-351



SH-FWL-361



SH-THL-3000
Temporary Horizontal Lifeline



SH-BRK-10.5
Rope Grab



SH-WPL-242





TRIPOD SH-TP-01

RETRACTABLE
FALL ARRESTER BLOCK



GRIP DESCENDER
SH-DC-401



ASCENDER HANDLE (RIGHT)
SH-AC-402 ®



EASY SEAT PILOT CHAIR
SH-PC-004



WINCH



SH-WCH-01



SH-GFA-2004

Rope Grab



SH-RG4

170
gms



SH-SSK112

235
gms



SH-112 (TL)



SH-131

STANDARD

Page no. 8



Page no. 9



Page no. 10



Page no. 11



Page no. 12



Page no. 13



Page no. 14



Page no. 15



Page no. 16



Page no. 17



Page no. 18



Page no. 19



Page no. 20



HEAT RESISTANT

Page no. 22



Page no. 23



CLEAN ROOM

NON LEATHER

Page no. 24



Page no. 26



Page no. 27



Page no. 28



Page no. 29



Page no. 30



FEMALE

Page no. 32



Page no. 33



EXECUTIVE

Page no. 36



QUICK LACING SYSTEM

Page no. 38



SPECIAL APPLICATION

Page no. 39



Page no. 40



OCCUPATIONAL

Page no. 42



DOWNLOAD
CATALOGUE

Our Product Portfolio

Fashion Footwear



What We Deliver
Premium leather shoes, boots and casual footwear

Competitive Edge
UK-led design capabilities, premium leather craftsmanship, fashion-led product development

GLOBAL
REACH

22+
countries

Safety Footwear



What We Deliver
Industrial and occupational safety shoes

Competitive Edge
Global certifications, advanced safety features, integrated manufacturing

GLOBAL
REACH

30+
countries

Equestrian Products



What We Deliver
Saddles, bridles, reins and riding accessories

Competitive Edge
Decades of craftsmanship and strong European customer relationships

GLOBAL
REACH

**Global niche
markets**

Sports Footwear



What We Deliver
Athletic and active lifestyle footwear

Competitive Edge
Lightweight construction, comfort engineering and contemporary styling

GLOBAL
REACH

**Growing
international
presence**

Finished Leather



What We Deliver
High-quality finished leather for multiple applications

Competitive Edge
LWG-certified operations, superior finishing expertise, deep customisation capabilities

GLOBAL
REACH

20+
countries

Leather Accessories



What We Deliver
Wallets, belts, bags and lifestyle accessories

Competitive Edge
End-to-end production, premium materials, trend-driven designs

GLOBAL
REACH

10+
countries

Textile Garments



What We Deliver
Industrial workwear and protective clothing

Competitive Edge
Safety-compliant, durable and performance-driven apparel solutions

GLOBAL
REACH

30+
countries

PPE Solutions



What We Deliver
Helmets, gloves, masks, fall protection and safety equipment

Competitive Edge
Comprehensive safety portfolio backed by quality assurance systemsdriven designs

GLOBAL
REACH

15+
countries



Note



22+ Units

A \$200M enterprise with
22 manufacturing units.



Workforce Of 8000+

Employing a workforce of
8000+ skilled personnel.



50+ Countries

Presence in more than
50+ Countries.



Custom Solutions

Tailored designs & high-
quality materials.



Advanced Infrastructure

Advanced technology for
precision manufacturing.



Diverse Product Line

Versatile product line,
one trusted brand.



LEGACY OF EXCELLENCE

Superhouse Limited

B-6, Site1, UPSIDC, Industrial Area, Unnao- 209801 (U.P), INDIA

✉ sales@superhousegroup.com ☎ +91 9918355959

www.allencoopersafety.com



allencooper.safety



Allen Cooper Safety



Allen Cooper Safety